



CARPET ROLLS and TILES

DESIGNED FOR DURABILITY






Table Of Contents

- 3 Features and Benefits
- 4 Zone Defense
- 5 Centaur Super Nop
- 6 Olympus
- 7 Spartus
- 7 Applications
- 8 Champion LP
- 9 Champion XP
- 10 Dominator LP
- 11 Dominator XP
- 11 Hercules
- 12 Additional Products
- 13 Grid Matting Systems
- 14 Matting
- 15 Custom Logo Matting
- 15 LEED Info

Features and Benefits

Range of IronWeave™ Products and Services

The range of IronWeave™ Carpet Rolls and Tiles and entry matting has expanded to include even more solutions, such as anti-fatigue flooring and grid matting. All our products play a vital role in providing safe, clean, attractive exterior and interior environments and entryways.

We are constantly improving our product range to meet and exceed LEED eco-friendly standards. Our mats and carpets have met the requirements of the Carpet and Rug Institute's Green Label Plus program for category 47x (carpet tiles) and 18x (carpet rolls).

IronWeave's team of sales and customer care staff look forward to answering your flooring questions. If you need samples, a consultation, LEED information, specifications, pricing or catalog literature, contact us, or e-mail at sales@ironweave.com. You can also contact us at our website www.ironweavecarpets.com.

Green Label Plus Certification

IronWeave™ — A Langhorn Flooring Concepts Product has received the Carpet and Rug Institute's Green Label Plus Certification by undergoing a rigorous testing process. The Green Label ensures our customers they are purchasing among the lowest VOC emitting carpet on the market.



Additional Products

- Anti-Fatigue Tile
- Entrance Mats With and Without Reducer Edging
- Logo Mats
- Fitness Flooring
- Grid Matting Systems



Contact Information

321 S. Main Street, PMB #536
Sebastopol ■ CA 95472


Tel: 707.823.4455 ■ Fax: 707.823.1174

Email: sales@ironweavecarpets.com

www.ironweavecarpets.com

Heavy traffic areas—such as foyers, hallways, classrooms, locker rooms, fitness centers, day care centers, ice arenas and golf course venues—endure constant impact and even abuse.

Ironweave™ Carpet Rolls and Tiles are the Perfect Low-Maintenance Solution.



With IronWeave™, your facility always looks clean and inviting. Just vacuum daily and immediately remove spills with an absorbent cotton cloth and clean water. Even better, IronWeave™ Carpet Rolls and Tiles are anti-microbial, resistant to water spills, and will not stain or mildew.

Engineered for durability, color retention and wear resistance, IronWeave's polypropylene fibers are needle punched or individually inserted into a bitumen, waterproof backing, eliminating any possibility of fraying or carpet runs.

Put Our Matting to Work For You!

Boost your brand recognition and retail sales with IronWeave's state-of-the-art logo and custom matting solutions for indoor and outdoor commercial spaces. Regardless of design requirements or area dimensions, IronWeave™ has the right matting solution for you.

Our versatile TRIPLE-ZONE DEFENSE SYSTEM provides maximum protection for your entryway by reducing your maintenance costs, accident liability, and facility wear and tear.

Features and Benefits for IronWeave™ Rolls and Tiles

- Cleaned by vacuuming or hosing
- Crush resistant
- Easily installed
- Highly resistant to surface abrasion
- Indoor/outdoor usage
- Lay flat/stay flat technology
- Naturally anti-static
- Customizable colors/patterns
- Rolls are perfect for logo or finished mats
- Rolls can be cut into any size/shape
- No edge unravel
- Protects floors
- Reduces floor maintenance
- Stain resistant
- Traps dirt and moisture
- Unaffected by climate extremes
- Thermal acoustic properties
- U.V. stable
- Variety of products for any budget

Features and Benefits for IronWeave™ Matting and Grid Systems

- Cost effective
- Provides safe and attractive entrances
- Decrease maintenance costs
- Relieves fatigue
- Long-lasting
- Improving overall cleanliness
- Reducing noise

A CLEAN SOLUTION TO A DIRTY PROBLEM

Did you know that your facility accumulates one pound of dirt for every 800 people who cross your threshold?



Zone Defense

And it costs you approximately \$600 to remove that pound of dirt*. All it takes is five to six average steps between a Zone 1 and Zone 3 defense system to keep 80% of dirt and moisture from ever entering your facility. By letting IronWeave's floor covering experts customize your entrance-way with any of our walk-off products, you will lower your maintenance cost, improve the facility's air quality, and significantly reduce slip-fall accidents. (* Source: ISSA)

A well-designed entrance system means a safer, cleaner and more attractive interior. IronWeave's flooring experts can customize your entrance to provide you the best and most cost-effective solutions in effective entrance matting systems. A single mat system achieves good results, but a three-part entrance matting system provides top performance while letting you save time and money.

By utilizing any of our safety-tested Entrance Zone Defense products, you will:

- Lower your maintenance costs
- Improve air quality
- Create a safer building by reducing slip-fall accidents

Our Entrance Zone Defense System can be a 1, 2 or 3 part system. The more zones utilized, the better the results.




Zone 1 SCRAPE
OUTSIDE SECTION

Scrapes heavy debris from footwear. More than 80% of the dust, dirt and grime is tracked into commercial buildings on footwear. This tracked-in soil affects interior appearance, maintenance costs and air quality (Source:TRSA).



Zone 2 CLEAN
VESTIBULE OR AIRLOCK SECTION

Cleans and absorbs moisture. One square yard of commercial carpeting can accumulate one pound of dirt per week and up to two pounds during wet weather (Source:TRSA).



Zone 3 DRY
INTERIOR SECTION

For every 800 people entering a commercial building, one pound of dirt is left behind. The cost of removing this pound of dirt can easily exceed \$600 (Source: ISSA).

Custom Matting and Grid Systems on pages 13-15.

Centaur Super Nop

GENTAUR SUPER NOP Carpet Rolls and Tiles offer our most durable and comprehensive "Berber" style carpet solution. This dense, compact carpet system is the heavy weight carpet product that's ideal for commercial, recreational and educational environments. Centaur Super Nop carpets are also perfect for airport baggage areas, jetways and lounge areas. Choices come in a broad range of 18 contemporary colors, available in rolls or tiles.



ROLLS and TILES GENTAUR SUPER NOP

Construction	Needle Felt Berber Style Pattern
Fiber Content	100% Solution Dyed Polypropylene
Pile Weight (± 7.5%)	Rolls and Tiles: 54 oz per sy
Total Weight (± 7.5%)	Rolls: 78 oz per sy Tiles: 172 oz per sy
Total Height (± 7.5%)	Rolls and Tiles: .50"
Backing	Rolls: High Density Rubber Tiles: Bitumen
Sizes	Rolls: 6'6" or 13'2" x 82' Tiles: 19.69" x 19.69"
Custom Sizes-Rolls Only	Product can be used for plain or logo mats
Wear Warranty*	7 Years on Flat Surfaces
Electrostatic Propensity EN 1815	Permanently Anti-Static
Flammability ASTM E648	Passes Federal Flammability Standard
Flammability ASTM D2859	Passes Pill Test
Zone Defense	1, 2, 3

LEED INFO ON PAGE 15.

*Wear Warranty is for 3 years in all spike or skate traffic areas, excluding pivot areas.



1601 Sisal 1602 Brown Sugar



1603 Charcoal 1604 Smokey Grey



1605 Beige 1606 Silver



1607 Darkness 1608 Wine 1609 Deep Blue 1610 Dark Green 1611 Autumn Green 1612 Dark Forest



1613 Evergreen Mist 1614 Purple Rain 1615 Bordeaux 1616 Ice Blue 1617 Night Glow 1618 Chocolate



Olympus

The **OLYMPUS** Carpet system provides a single-ribbed corduroy product perfect for heavy duty areas, such as libraries, classrooms and churches. This hard-wearing, easily maintained carpet is an ideal, low-cost flooring solution. This floor system is available in 6'-6" or 13'-2" rolls.

ROLLS	OLYMPUS
-------	---------


Construction	Non Woven Ribbed Corduroy Pattern
Fiber Content	100% Solution Dyed Polypropylene
Pile Weight (± 7.5%)	44 oz per sy
Total Weight (± 7.5%)	65 oz per sy
Total Height (± 7.5%)	.47"
Backing	High Density Rubber
Roll Sizes	6'6" or 13'2" x 82'
Custom Sizes	Product can be used for plain or logo mats
Wear Warranty*	7 Years on Flat Surfaces
Electrostatic Propensity EN 1815	Permanently Anti-Static
Flammability ASTM E648	Passes Federal Flammability Standard
Flammability ASTM D2859	Passes Pill Test
Zone Defense	1, 2, 3

LEED INFO ON PAGE 15.


*Wear Warranty is for 3 years in all spike or skate traffic areas, excluding pivot areas.



1701 Smokey Grey



1702 Midnight Grey



1703 Black Sky



1704 Stardust



1705 Forest



1706 Natural



1707 Hay Stack



1708 Autumn Brown



1709 Brown Sugar



1710 Majestic

Spartus

SPARTUS Carpet Rolls is a heavy, durable carpet system that can be used indoors or outdoors. It is produced in 6'-6" rolls, 82' long, with a 1/2" thickness of textured 2"x4" ribs.

ROLLS	SPARTUS
-------	---------

Construction	Non Woven - 4x2 Ribbed Pattern
Fiber Content	100% Solution Dyed Polypropylene
Pile Weight (± 7.5%)	54 oz per sy
Total Weight (± 7.5%)	78 oz per sy
Total Height (± 7.5%)	.47"
Backing	High Density Rubber
Roll Sizes	6'6" x 82'
Custom Sizes	Product can be used for plain or logo mats
Wear Warranty*	7 Years on Flat Surfaces
Electrostatic Propensity EN 1815	Permanently Anti-Static
Flammability ASTM E648	Passes Federal Flammability Standard
Flammability ASTM D2859	Passes Pill Test
Zone Defense	1, 2, 3

LEED INFO ON PAGE 15.

*Wear Warranty is for 3 years in all spike or skate traffic areas, excluding pivot areas.



1801 Mid Grey



1802 Dark Grey



1803 Artic Blue



1804 Coffee



1805 Honey



1806 Burgundy



1807 Forest Green

Applications for IronWeave™ Rolls and Tiles

For facilities that require floor covering that must endure heavy traffic, constant impact or even abuse – IronWeave™ Carpet Rolls and Tiles are the right choice. Here are just some application possibilities.

CORPORATE AND INDUSTRIAL

- Entry Foyers
- Hallways
- Fitness Areas
- Vending Areas

EDUCATION

- Class Rooms
- Hallways
- Cafeterias
- Libraries
- Entrances

AVIATION

- Baggage Claim
- Jetways
- Holding Areas
- Entrances
- Check-in Areas

HEALTHCARE AND SENIOR FACILITIES

- Entry Foyers
- Hallways
- Fitness Areas
- Active-Aging Areas
- Vending Areas

HOSPITALITY

- Entry Foyers
- Hallways
- Fitness Areas
- Vending Areas
- Restaurants

RECREATION

- Fitness Areas
- Hallways
- Locker Rooms
- Golf Course Venues
- Day Care Centers

RETAIL

- Anit-Fatigue Areas
- Retail Kiosks
- Sales Floors
- Pharmacies



Champion LP



CHAMPION LP Carpet Tiles are produced with a “Berber” or diamond design. This design is used extensively in mat form by the world’s largest retail chains and hotel groups.


We offer Champion LP, which is our standard carpet tile range. It is a lower profile tile (3/8”) than our extra heavy duty Champion XP.

TILES	CHAMPION LP
-------	-------------

Construction	Non Woven Hobnail (Berber) Tile
Fiber Content	100% Solution Dyed Polypropylene
Pile Weight (± 7.5%)	24 oz per sy
Total Weight (± 7.5%)	114 oz per sy
Total Height (± 7.5%)	.34”
Backing	Bitumen
Tile Size	19.69” x 19.69”
1 Carton	12 tiles or 32.5 sq. ft.
Wear Warranty*	5 Years on Flat Surfaces
Electrostatic Propensity EN 1815	Permanently Anti-Static
Flammability ASTM E648	Passes Federal Flammability Standard
Flammability ASTM D2859	Passes Pill Test
Zone Defense	3

LEED INFO ON PAGE 15.

*Wear Warranty is for 3 years in all spike or skate traffic areas, excluding pivot areas.



1531 Smokey Grey




1098 Marble



1546 Marine




1048 Olive



1006 Khaki



1153 Beige



1097 Chocolate



1353 Ruby Red

IronWeave™ Komfort Tiles

Our Komfort tiles are available in a “Berber” texture similar to our Champion Tiles but with a softer polypropylene fiber. The tiles are constructed with a 3/8” foam underpad, providing more *Komfort* and less body stress for safety.



The perfect flooring for gyms, senior facilities, active-aging areas, fitness facilities, anti-fatigue areas, and retail kiosks to name a few.



Champion XP

CHAMPION XP Carpet Tiles are the heavyweight option for this “Berber” or diamond design. The XP tile is 7/16” thick with a tough, durable 42 oz. face weight.

Perfect for hospitality, recreational, healthcare and senior facilities.

TILES	CHAMPION XP
-------	-------------

Construction	Non Woven Hobnail (Berber) Tile
Fiber Content	100% Solution Dyed Polypropylene
Pile Weight (± 7.5%)	44 oz per sy
Total Weight (± 7.5%)	169 oz per sy
Total Height (± 7.5%)	.47”
Backing	Bitumen
Tile Size	19.69” x 19.69”
1 Carton	12 tiles or 32.5 sq. ft.
Wear Warranty*	7 Years on Flat Surfaces
Electrostatic Propensity EN 1815	Permanently Anti-Static
Flammability ASTM E648	Passes Federal Flammability Standard
Flammability ASTM D2859	Passes Pill Test
Zone Defense	2, 3

LEED INFO ON PAGE 15.

*Wear Warranty is for 3 years in all spike or skate traffic areas, excluding pivot areas.



1244 Harvest



1340 Mid Grey



1303 Anthracite



2343 Black Shadow



5154 Midnight Sky




1328 Marine




6265 Aspen



1399 Sisal




1353 Brown Sugar



1244 Harvest



1301 Cocoa



7178 Bordeaux



1305 Cardinal Red

Dominator LP

DOMINATOR LP Carpet Tiles are produced with a diagonal or slant design. This design offers a two-tone appearance when tiles are installed with a 1/4-turn pattern.



TILES	DOMINATOR LP
Construction	Non Woven - Diagonal Pattern
Fiber Content	100% Solution Dyed Polypropylene
Pile Weight (± 7.5%)	39 oz per sy
Total Weight (± 7.5%)	142 oz per sy
Total Height (± 7.5%)	.37"
Backing	Bitumen
Tile Size	19.69" x 19.69"
1 Carton	20 tiles or 54.18 sq. ft.
Wear Warranty*	5 Years on Flat Surfaces
Electrostatic Propensity EN 1815	Permanently Anti-Static
Flammability ASTM E648	Passes Federal Flammability Standard
Flammability ASTM D2859	Passes Pill Test
Zone Defense	2, 3

LEED INFO ON PAGE 15.


*Wear Warranty is for 3 years in all spike or skate traffic areas, excluding pivot areas.




1512 Mid Grey




1593 Anthracite




1592 Black Shadow




1590 Denim



1594 Olive




1595 Autumn Green



1514 Pebble



1596 Cognac



1597 Root Beer



1598 Cranberry



1590 Denim

Dominator XP

DOMINATOR XP Carpet Tile is the heavyweight version of our popular Dominator LP. This 1/2" thick tile is for extreme, heavy traffic areas. Engineered to withstand constant foot traffic.

LEED INFO ON PAGE 15.

*Wear Warranty is for 3 years in all spike or skate traffic areas, excluding pivot areas.

TILES	DOMINATOR XP
Construction	Non Woven - Diagonal Pattern
Fiber Content	100% Solution Dyed Polypropylene
Pile Weight (± 7.5%)	57 oz per sy
Total Weight (± 7.5%)	169 oz per sy
Total Height (± 7.5%)	.50"
Backing	Bitumen or TacFast®
Tile Size	19.69" x 19.69"
1 Carton	12 tiles or 32.5 sq. ft.
Wear Warranty*	7 Years on Flat Surfaces
Electrostatic Propensity EN 1815	Permanently Anti-Static
Flammability ASTM E648	Passes Federal Flammability Standard
Flammability ASTM D2859	Passes Pill Test
Zone Defense	1, 2, 3



90 Indigo Blue



112 Mid Grey



113 Walnut



116 Tan

Hercules

HERCULES Carpet Tile is the latest tile in our expanding IronWeave™ carpet line. It's the ideal solution for entry areas and foyers where extreme traffic occurs. Hercules' unique dirt pocket configuration effectively removes and traps dirt and moisture, keeping interior areas and air quality cleaner.



TILES	HERCULES
Construction	Non Woven - High Low Structured Loop Dirt Pocket Pattern
Fiber Content	100% Solution Dyed Polypropylene
Pile Weight (± 7.5%)	60 oz per sy
Total Weight (± 7.5%)	170 oz per sy
Total Height (± 7.5%)	.50"
Backing	Bitumen or TacFast®
Tile Size	19.69" x 19.69"
1 Carton	12 tiles or 32.5 sq. ft.
Wear Warranty*	7 Years on Flat Surfaces
Electrostatic Propensity EN 1815	Permanently Anti-Static
Flammability ASTM E648	Passes Federal Flammability Standard
Flammability ASTM D2859	Passes Pill Test
Zone Defense	2, 3

*Wear Warranty is for 3 years in all spike or skate traffic areas, excluding pivot areas. LEED INFO ON PAGE 15.



IW 1 Mink



IW 2 Smoke



IW 3 Tan



IW 4 Heath

Additional Products



Olympus Tile




The Olympus Tile is available as a traditional glue-down tile. The 100% solution-dyed polypropylene fiber is needle punched in an attractive corduroy rib pattern.

The tiles are 19.69" x 19.69" and packaged 12 tiles per box – 32.5 sq. ft. per box.

Available in midnight grey color only.

Crisscross Corduroy Tile



This extra heavy duty commercial tile is made with 65 oz. pile weight. It has an attractive cross stitched pattern in a charcoal color with off-white stitch color with Bitumen backing.

The tiles are 19.69" x 19.69" and packaged 12 tiles per box – 32.5 sq. ft. per box.

Governor Anti-Fatigue Tile



Our Governor Anti-Fatigue Tile is produced with polypropylene nylon and polyester blended fiber. This provides a plush velour texture and appearance. The tiles are backed with a 3/8" closed cell foam pad for ideal cushioning and comfort.

The tiles are 19.69" x 19.69" and packaged 12 tiles per box – 32.5 sq. ft. per box.

Komfort Carpet Tile



All the IronWeave™ Carpet Tiles can be produced with our 100% recycled polyurethane foam pad. The 1/4" pad is permanently bonded to the primary tiles and provides a resilient shock absorbent floor system. Ideal for active aging facilities, meeting rooms, fitness centers.

Grid Matting Systems

Reducing the possibility of slip and fall accidents at your entryway is a crucial step in facility safety.

IronWeave™ provides grid matting products that prevent these accidents by containing more water, dirt and other contaminants under the surface. These Zone 1 and Zone 2 defense products will keep your entryway looking its best for years. Choose from Power Grid or Premier Grid.



Power Grid

IronWeave's Power Grid flooring is designed to take the constant punishment of repetitive, heavy foot and cart traffic. This solid vinyl flooring has an open-weave design that is attractive, safe and easy to keep clean. And it reduces cart noise at entryways.

- Vinyl Colors: Black, Brick Red, Dark Grey, Mocha, Midnight Blue, Forest Green; custom colors available
- Construction: Section material is 100% PVC; Thickness: 1/2" (13mm). All Power Grid mats are custom made.
- Installation Options: Can be surface mounted or recessed into the floor. Well should be .5" deep for recessed applications.



Premier Grid

IronWeave's Premier Grid is both handsome and high-performance. This unique open weave, grid-rib design, with 1.1875" wide carpet strips, withstands heavy foot and wheeled traffic more efficiently than any other matting system. And, it's now available with the TacFast® backing system.

- Vinyl Colors: Black, Chocolate and Hunter Green; custom colors available
- Carpet Colors: Charcoal, Forest Green, Gingerbread
- Construction: Section material is 100% PVC; Thickness: 1/2" (13mm). All Premier Grid mats are custom made.
- Installation Options: Can be surface mounted or recessed into the floor. Well should be .5" deep for recessed applications.





Custom Logo Matting



Impressions Matting

This printed nylon mat highlights your brand without busting the budget. IronWeave™ uses a 4-color dye printing process that can create nearly any color and image. This durable indoor mat is made with a washable nitrile rubber backing for safety and grip.

Coir/Coco Matting

Natural coconut fibers used in this designer matting project an environmental and health-conscious image that resonates with the public. It's perfect for entryways and recessed wells, and comes with or without a logo.

Hydro Mat

This durable mat is designed for excessive traffic areas. It's rubber-backed and cleated to minimize interior floor dirt, snow and water, and comes with or without a logo.

Tough Rib Plain Mats

These mats are engineered for entryways and indoor/outdoor areas that take a lot of punishment. Tough Rib, with 24 ounces of polypropylene fiber per square yard, making this an economical choice.

Entry / Walk-Off / Runner Mats

IronWeave™ carpet rolls can be made into a variety of entry mats, walk-off mats and long runner mats. All our carpet rolls are 6'-6" wide or 13'-2" wide. We can produce mats up to 82' long.

The edging of our mats are glued and sewn with mitered corners.

We offer a range of economical walk-off mats in numerous sizes in rib/corduroy and our Hydro mats in 18 beautiful colors. All these mats have an 80 mil vinyl backing.

First impressions are crucial.

Why pay hundreds or even thousands of dollars a year to rental companies for mats that look used or don't communicate your brand?

Your Solution: IronWeave™ Matting

- Custom logo mats boosts brand recognition
- Can be customized to fit any size area
- Fortified with a thick, durable "safety track" back, engineered for the heaviest traffic
- Protects any exterior or interior flooring surface by trapping dirt, foot fall debris and moisture in your entrance areas
- Comes with a long-wear warranty
- Saves you money in rental fees, maintenance costs and replacement flooring

IronWeave™ is a leader in providing a diverse range of logo and custom matting solutions for indoor or outdoor commercial spaces. Casual or elegant, large or small, high or low traffic, logo and plain mats are a perfect design solution. No matter what your budget, we have the right matting that will help you boost brand recognition and even retail sales.



Hi-Profile Edging



High Profile Edging Available in Brown, Yellow and Black



LEED / Green Label Plus Certification

IronWeave™ — A Langhorn Flooring Concepts Product has received the Carpet and Rug Institute's Green Label Plus certification by undergoing a rigorous testing process. The Green Label ensures our customers they are purchasing among the lowest VOC emitting carpet on the market.

LEED	STANDARD / NORMS	DATA
MR Credit 4	LEED-NC v. 3 for 1-2 points: \$ value of all	15% recycled post consumer
IEQ Credit 4.1	LEED-NC v. 3 for 1 point: low-emitting adhesive with a VOC of 50 g/l or less for indoor releasable carpet adhesive	Releasable VOC 0 g/l
IEQ Credit 4.3	For 1 point: low-emitting flooring per CRI Green Label Plus	In compliance with CRI Green Label Plus Program
IEQ Credit 5	LEED-NC v. 3 for 1 point: semi-permanently installed entrance system at least 10' in length and maintained on a weekly basis	This carpet is a semi-permanent installation

PRO SHIELD

GIANT-SIZED TILES




FEATURES

Giant-sized tiles protect gym floors while providing a multi-purpose temporary flooring.

- Long-lasting colors
- Plus backing keeps gym floor clean
- Lightweight and easy to handle: quick set-up and breakdown
- High-quality fiber and backing: fully recyclable

TILES	PRO SHIELD
Fiber Content	100% Solution Dyed Polypropylene
Sizes Available	39.38" x 39.38" or 39.38" x 79.75"
Total Weight	91.4 oz/sq yd
Thickness	4.2 mm
Slip Resistance	(ASTM C1028) 0.54 Wet and 0.61 Dry
Critical Radiant Flux	(ASTM E648) Class 2: 0.22-0.44 w/cm ² or Higher
Acoustic Efficiency	17 db Sound Absorbency
Backing	Polyolefin Plus

Colors available:



Grey



Blue



Recyclable



Gym floor before...



...and after Pro Shield laid down.



IronWeave
CARPET ROLLS AND TILES

GRID MATTING SYSTEMS
ENTRANCE MATS
CUSTOM LOGO MATS

321 S. Main Street, PMB #536 ■ Sebastopol ■ CA 95472
Tel: 707.823.4455 ■ Fax: 707.823.1174

Email: sales@ironweavecarpets.com
www.ironweavecarpets.com

Langhorn Flooring Concepts, Inc.

Check out our extensive line of recycled rubber flooring products at: www.earthsauffers.com.

EARTHSAVER
SPECIALTY FLOORING

RUBBERFLEX
SPECIALTY FLOORING